



AUTHORIZATION TO MARK


This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	BRK Brands, Inc.	Manufacturer:	Electronica BRK De Mexico SA de C V
Address:	3901 West Liberty Street Aurora, IL 60504	Address:	Fernando Borreguero Y Lopez Mateos Parque Industrial Juarez Cd. Juarez, Chihuahua CP-32630
Country:	USA	Country:	Mexico
Contact:	Mr. Mark Dippner	Contact:	Osbaldo Vercini
Phone:	(630) 851-7330 x3422	Phone:	(915) 774-7895
FAX:	(630) 851-9309	FAX:	(915) 774-7808
Email:	mdippner@jardensafety.com	Email:	overcini@jardensafety.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Chicago

Control Number: 3055574

Authorized by: 
for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
165 Main Street, Cortland, NY 13045
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

Standard(s):	Single and Multiple Station Smoke Alarms (UL 217, 6th Edition, Issued 08/25/2006, With Revisions through 4/16/12 - Includes 8/4/15 Future Effective Date requirements)
Product:	Battery Operated Single Station Smoke Alarm
Brand Name:	First Alert and/or BRK Brands and/or Family Gard
Models:	FG200, FG250, FG250RV

This document does not imply product certification nor authorization to apply the ETL-Listed Mark and should be submitted along with a valid Authorization to Mark from Intertek.

Intertek Report Number:	3126289CHI-002
Intertek Issuing Office:	Chicago
CSFM BML Category:	7256 - Ionization Smoke Detector
Applicant/Listee:	BRK Brands, Inc.
Standards Used:	Single and Multiple Station Smoke Alarms (UL 217, 6th Edition, Issued 08/25/2006, With Revisions through 4/16/12 - Includes 8/4/15 Future Effective Date requirements)
Product Covered:	Battery Operated Single-Station Smoke Alarm, Models FG200, FG250, FG250RV
Design	<p>This product is intended to be ceiling or wall mounted and to be operated by a primary 9V battery.</p> <p>The product is intended to detect an abnormal amount of smoke density in the area in which it is installed, and to actuate a condition specific audible alarm signal. Only FG250 has an alarm silence feature for convenience and will not correct a smoke problem. Only model FG250RV is intended for use in recreational vehicles. The unit is comprised of jumpers, capacitors, transistors, resistors, integrated circuits, a piezoelectric horn, a smoke chamber, and a general visual signaling LED. All components with the exception of the battery are mounted on a printed wiring board (PWB), and the assembly is then housed inside an enclosure having openings to the surrounding air.</p>

Engineer



Mark Henderson
Project Engineer
1/9/2013

Reviewer



Richard Hoffman
Engineering Team Leader
1/9/2013

Product inquiries should be made to Larry Todd, Intertek Chief Electrical Engineer at (503) 626-6694.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results in referenced from this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.